

Technical Report No. 72

INDEX TO TECHNICAL REPORTS 1-66

Winifred Y. Yamashiro

Department of Botany
University of Hawaii
Honolulu, Hawaii 96822

ISLAND ECOSYSTEMS IRP

U. S. International Biological Program

August 1975

ABSTRACT

There are four parts to this index: author, subject, taxonomic, and site. Cross-references are made within an index and between indexes. Each citation gives the topic, followed by the relevant technical report (TR) number. The TR number is followed by page numbers. When the entire TR is about a specific topic, no page numbers are given.

Table 6.2 from Mueller-Dombois and Bridges (TR 66) is included as an adjunct to the site index.

Technical reports 1 to 66 cover the period from December 1970 through June 1975.

TABLE OF CONTENTS

	Page
ABSTRACT	i
AUTHOR INDEX	1
SUBJECT INDEX.	4
TAXONOMIC INDEX	13
SITE INDEX	42
GENERAL SITE COMPARISONS (MAUNA LOA TRANSECT), Table 6.2	50

AUTHOR INDEX

Ashton, G. C. 1:80-85

Baker, G. E. 1:87-88; 2:98-110; 21:6.13-6.20; 42

Banko, W. 1:109-110

Beardsley, J. W. 1:102; 2:138-140; 21:6.29-6.30; 23

Becker, R. E. 21:6.9

Berger, A. J. 1:107-108; 2:162-167; 8; 11; 21:4.1-4.6, 6.44-6.47

Bock, W. 21:6.44-6.45

Brennan, B. M. 21:6.41

Bridges, K. W. 21:3.1-3.7; 22; 28; 36; 38; 59; 66

Carey, G. V. 22; 38; 59

Carpenter, F. L. 33; 61; 63

Carson, H. L. 1:17-28; 2:28-30; 21:5.1-5.5; 50

Christopher, E. A. 60

Conant, M. 2:158-161; 21:6.42-6.43; 64

Conant, S. 21:4.1-4.6, 6.44-6.47

Cooray, R. 2:50-54, 57-60, 80-85; 44

Corn, C. 1:80-85; 2:88-95; 6; 18; 21:6.10

Craddock, E. M. 45

Craine, J. 2:50, 55-56

Davis, C. J. 1:95; 2:128-129; 5; 21:6.23-6.25

Delfinado, M. D. 1:89-90; 2:111-114; 20; 21:6.21

Doty, M. S. 1:86; 2:96-97; 21:6.11-6.12

Dunn, P. H. 2:98-110; 21:6.13-6.16; 42

Ebisu, R. J. 60

Ekern, P. C. 1:36-38; 2:200

Ellenberg, H. 49

Fosberg, F. R. 2:201-202, 205

Friend, D. J. C. 2:87, 250; 21:6.8; 41

Gagné, W. 1:96-101; 21:6.26-6.28; 40; 43

Gay, R. 2:248-249

Gressitt, J. L. 1:93-94; 2:122-127; 5; 21:6.23-6.25

Guest, S. J. 29; 37

Haramoto, F. H. 1:103; 2:141-147; 21:6.31-6.34

Hardy, D. E. 1:17-28, 89-90; 2:111-114; 20; 21:6.21

Hiesey, W. M. 18

Hirai, L. T. 47

Howarth, F. G. 2:156-157; 16; 21:6.38-6.40; 40; 43

Jacobi, J. D. 48; 58

Johnson, W. E. 30; 45

Juvik, J. O. 32

Kambysellis, M. P. 39

Lamoureux, C. H. 1:78; 2:61-70, 246-247; 21:6.5-6.6, 6.10

Leeper, J. R. 2:138-140; 21:6.29-6.30; 23; 53

Lloyd, R. M. 2:86; 35

McGurk, L. 2:96-97; 21:6.11-6.12; 55

MacMillen, R. E. 2:172-173; 9; 21:6.44-6.45, 6.49-6.52; 33; 60; 61; 63

Maka, J. E. 31

Matsunami, L. 21:6.5-6.6

Meeker, J. 21:6.13-6.16

Mitchell, W. C. 2:253; 21:6.41

Mueller-Dombois, D. 1:52-54, 56-77; 2:31-60, 71-85, 206-234; 3; 4; 10; 13; 14; 15;
19; 21:1.1-1.3, 2.1-2.7, 3.1-3.7, 6.1-6.4, 6.7; 26; 36; 49; 54; 66

Nakahara, L. 1:103; 2:141-147; 21:6.31-6.34

Newman, L. J. 56

Nishida, T. 1:103; 2:141-147; 21:6.31-6.34

Paik, Y. K. 2:174-180; 12; 21:6.53-6.54; 57; 65

Perreira, D. J. 32

Porter, J. R. 1:78; 2:61-70; 21:6.5-6.6; 27

Radovsky, F. J. 1:104-106; 2:148-157; 21:4.1-4.6, 6.35-6.37; 58

Raikow, R. J. 21:6.44-6.45

Sakai, W. A. 42

Samuelson, G. A. 21:6.23-6.25

Smathers, G. A. 10

Smith, C. W. 1:32-34

Smith, H. E. 37

Spatz, G. 2:31-41, 42-49, 71-85; 3; 13; 14; 15; 17; 21:6.1-6.2, 6.7

Steffan, W. A. 1:91-92; 2:115-121; 7; 21:6.22; 25

Steiner, W. W. M. 2:181-199; 21:6.55-6.58; 30; 50; 52; 57

Stoner, D. K. 21:6.17-6.20

Stoner, M. E. 21:6.17-6.20

Sung, K. C. 2:174-180; 12; 21:6.53-6.54; 57; 65

Tamashiro, M. 2:158-161; 21:6.42-6.43

Tenorio, J. M. 21:6.35-6.37; 58

Tomich, P. Q. 1:46-51, 111; 2:168-171, 203-204; 21:6.48; 58

Tieszen, L. L. 2:254-255

van Riper, C. III. 46; 51; 62

Wallace, G. D. 2:238

Whittow, G. C. 1:35; 60

Wirawan, N. 34

SUBJECT INDEX

a'a, 54:13; 66:17, 18

ash, 66:17, 18

cavernicoles, 2:150, 156-157; 16; 21:6.38; 40; see also troglobites

caves, 16; 40; see also lava tubes
food chain, 16:12a

chromosome inversion

Drosophila immigrans, 2:178-180; 12; 65

Drosophila silvestris, 45

environment, 12:1, 19-20; 65:5-12

frequencies, 12:9-13; 45:4-17, 31, 33-35

interisland differentiation, 12:13

Telmatogeton, 56:12-16

cinder cone, 10:29

development of cover, 10:76

invasion, 10:49-54

plant nutrients, 10:109

substrate moisture, 10:107

substrate pH, 10:109-112

substrate temperature, 10:104-107

classification of vegetation

floristic, 49:31-37

functional, 49:27-31

methods evaluated, 49:37-40

structural, 49:13-27

systems, 49:13-37

climate, see also humidity, rainfall, saturation deficit, temperature

Hawaiian Islands, 54:13-15

Mauna Loa Transect, 66:15-16

climate diagrams, 22 suppl. 1:3-6; 38:2-5; 54:Fig. 5.1; 59:2-5

explanation, 54:38-39; 66:15

competition on new lava, 10:60-61, 147

computer programs

dendrograph, 66:33-35

EZPLOT, 28

simulated random distribution, 31:85

sum of squares classification, 31:86-88

two-way synthesis table, 66:40

cover, 10:76-97

measurement, 15:6

cover-abundance

Glenwood, 48:12

Hilina Pali Road, 48:17, 18

Kilauea Military Camp, 48:11

Kipuka Ki, 48:9-10

Kipuka Nene, 48:11-12

Kipuka Puaulu, 48:14-15

Mauna Loa Strip Road, 48:8-9

Mauna Loa Trail, 48:4-6, 8, 13-14

Olaa Forest Reserve, 48:13

Puu Ulaula, 48:14

Thurston Lava Tube, 48:11

culture media

algae, 55:7

ferns, 35:5; 41:3

fungi, 42:7-9

sciarids, 25:2-3

data analysis

defining species groups, 31

dendrograph, 66:30-39

EZPLOT, 28

simulated random distribution, 31:85

sum of squares classification, 31:86-88

two-way table, 66:39-49

dendrogram, 31:59-60; 66:30-31

dendrograph, 66:30-40, 42

clusters, 66:35-37

program, 66:33-35

Q-technique, 66:39-40, 42

similarity index, 66:31-33

zonation diagram, 66:37-39

distribution, spatial, 21:2.1-2.7

electrophoresis

acrylamide, 30:18-19

buffers, 2:187; 30:14-18; 57:2

Drosophila, 2:192-194; 30; 45

Drosophila engyochracea, 50; 52

Drosophila mimica, 50; 52; 57:3-11

Drosophila silvestris, 45:3

Drosophila simulans, 57:11

equipment, 30:1-4

gel, 2:184; 30:4-18; 45; 57:2

electrophoresis (con't.)

Metrosideros, 2:181-190
plant material, 2:184-185
staining, 30:8-14
stains, 2:188-189; 30:6, 9-13
stock solutions, 30:14-17
techniques, 30

evaporation

from soil, 4:18
pan evaporation rates, 66:16

evolution of island ecosystems, 2:211-213; 19:4; 21:5.2-5.5

exclosure transects, 2:42-49; 3:2-6, 10-15; 13

EZPLOT, 28

fire, 66:21

fixative

Drosophila immigrans, 39:5-6
endoparasites, 37:4
Telmatogeton, 56:2

fog drip, 32; 66:16

fumarole fauna, 1:104; 2:150

"gap-phase" regeneration, 44:77, 79, 83

genetic variation

Drosophila engyochracea, 50
Drosophila immigrans, 12; 57
Drosophila mimica, 50
Drosophila silvestris, 45
Drosophila simulans, 57
within island species, 21:5.1-5.5

goat, see Capra hircus L.

gradient analysis, 2:31-41, 220-234; 66:1-28

grassland

and pigs, 15:11-14, 19-21
succession after disturbance, 15

Hawaii IBP

initial working hypotheses, 54:3-4
objectives, 54:3
organism groups studied, 54:30-31
site coordination, 54:32-33
synthesis chapters, 54; 66

- herbivores, 2:5-6, 201-204
 - axis deer, 2:201-202
 - cattle, 2:42
 - goat, 2:42-49; 3:2-6, 10-15; 13:33-37
 - pig, 2:53-54, 77; 42; 44:83-85
- heterogeneity test, 31:57-65, 73-74
- Humic Latosol, 4:2-3, 18-20
- humidity
 - daily, 22 suppl. 1:15-106; 38:22-69; 59:18-65
 - monthly, 22 suppl. 1:11-14; 38:10-13; 59:10-13
- invasion on new volcanic substrates, 10:118-124, 144
 - exotic species, 10:147-148
 - native species, 10:147-148
 - rate differences, 10:128-136
 - seed source, 10:121
 - snag density, 10:122-124
 - substrate temperature, 10:104-107, 119-121
- island ecosystems
 - biome structure, 19:1-10
 - community structure, 19:8; 21:4.2-4.3; 54:8
 - genetic variation and environment, 21:5.1-5.5
 - important factors, 19:1-4
 - niche differentiation, 19:10-15; 21:5.1-5.5
 - spatial distribution of biota, 19:5-9; 21:2.1-2.7
 - speciation, 21:5.2-5.4
 - stability and evolution, 2:211-213; 19:3-4
 - succession, 19:15-21; 21:3.3-3.7
 - temporal relationships, 21:3.1-3.3
- lava tube, 16
 - disturbance, 16:14-15
 - food chain, 16:12
 - formation, 16:7-9
 - locations, 16:2-4
 - zones, 16:9-10
- lichen, see TAXONOMIC INDEX
- life-form communities, 2:31, 34-35
- life-form spectra, 10:76-97
- mapping vegetation, 49:4-13, 40-44
 - hierarchical, 49:40-44
- map scales, 49:4-13
- minimum discrimination information statistic (m.d.i.s.), 31:60-63, 105

niche differentiation, 19:10-15; 21:4.1-4.6

ordination

plots, 31:21-45, 71; 66:30-39

species, 31:45-57, 72-73; 66:39-49

Pacific Science Association Intercongress Meeting, 26

pahoehoe, 54:13; 66:16-18

parasites

birds, 2:153; 37; 62

small mammals, 2:152-153

phenology, 21:6.5; 24

Metrosideros collina, 27:26-27, 29-32, 54-58

Myoporum sandwicense, 51:27

Sophora chrysophylla, 51:23-27

phenophase, 21:3.1-3.3, 6.5-6.6

plant ecological analysis, 2:230-234

plant species lists, 2:38-40, 65-66

artificially disturbed mountain parkland, 15:23-28, 34-40, 41, 42

evergreen seasonal forest, 34:23

goat enclosure, 2:47; 8:9-11, 17-19, 24-25, 27-28, 41-44

Kahe Bowl, 14:4c

Kilauea Forest Reserve, 2:57-60; 44:35-39

mountain parkland, 15:9, 18, 43-44

mountain rain forest, 31:26-27, 90, 94-95

new lava, 10:156-169

phenology, 24:47-48

pig-disturbed mountain parkland, 15:29-33

semideciduous seasonal forest, 34:24-26

seral Canthium-Leucaena stand, 34:28

seral Erythrina stand, 34:27

seral Sapindus-Leucaena stand, 34:29

point frequency frame, 14:9

polymorphism, inversion, 2:178-180; 12:1-24; 45

profile diagrams, 2:Figs. 2-7

Kilauea Forest Reserve, 44:13, 22, 24, 26, 28

pumice area with surviving trees, 10:31, 65

development of cover, 10:84-90

invasion, 10:65-68

life-forms, 10:84-90

mean daily loss of water, 10:99-101

rainfall, 10:100

pumice area with surviving trees (con't.)

substrate moisture, 10:107

surviving species, 10:72-73, 75

pumice area with tree snags, 10:30-31, 61

development of cover, 10:80-84

invasion, 10:62-65

life-forms, 10:80-84

mean daily loss of water, 10:99-101

rainfall, 10:100

substrate moisture, 10:107

surviving species, 10:72

Q-technique, 66:39-40, 42

rainfall

annual, 22 suppl. 1:107; 66:15

cumulative, 22 suppl. 1:109-112; 38:70-73; 59:66-69

events, 22 suppl. 1:134-140; 38:90-92, 94-96; 59:82-90

influence on growth, 24:49-58

intensity, 59:84, 85-89

measurement, 39:4-5

quarterly, 22 suppl. 1:108

weekly, 22 suppl. 1:113-133; 38:74-89; 59:70-81

red tropical lowland clay, 4:2-3, 18-20

relevé, defined, 49:36n

R-technique, 66:40-41

sampling

algae, 2:96; 55:5

arthropods of soil and duff, 1:104; 2:148-149; 21:6.35-6.36; 55:8-10

arthropods on koa and Metrosideros, 1:96-101, 103; 2:131; 21:6.41

arthropods on Sophora, 64:3

birds, 21:6.49; 29:5-9; 33:4-5; 37:4; 46:4; 47:6-9; 60

Drosophila, 2:28; 12:2; 39:5-6; 45:2; 50:8; 57:2; 65:1

fungi, 2:100-102; 42:3-9

growth rates, 2:61, 72

mammals, 2:168; 58:2

Metrosideros, 6:4-15; 27:2-9; 33:3-4

psyllids, 1:102; 23:4-5

rainfall, 10:34

sciarid population, 7:2-3; 25:2

substrate, 10:35

vegetation sampling, 1:58-77; 2:51, 61, 72; 10:32-34; 13:5-7; 14:2-3, 9; 15:5-6;
17:3-11; 31:14-20; 34:10-15; 44:11-20; 64:3; 66:24-28

vertebrate ectoparasites, 1:104; 21:6.37; 37:4; 58:2-3

saturation deficit, 38:14-21; 59:14-17

shade tolerance, 44:80-81

similarity index

floristic, 10:51

Motyka, 66:31-33

site coordination, 54:32-33

soil, see also substrate

temperature, 17:19-23

types, 54:16-17

water loss by evaporation, 4:3-4, 18; 10:99-101; 16:18

spatter area with tree snags, 10:29-30, 54

development of cover, 10:78-80

invasion, 10:55-58

life-forms, 10:78-80

substrate moisture, 10:107

substrate temperature, 10:106

succession, 10:59-61

surviving species, 10:69

species groups, 31:65-69, 75

stability of island ecosystems, 2:211-213; 19:3; 21:5.2-5.5

staging (larvae), 56:5

staining, 30:8-14

stains

chromosome, 56:4

electrophoresis, 2:188; 30:6, 9-13

substrate, see also cinder cone, pumice area with surviving trees, pumice area with tree snags, thin fallout area, spatter area with tree snags, (new) volcanic substrate

Mauna Loa Transect, 66:16-18

sampling methods, 10:35-37

succession, 19:15-21; 21:3.3-3.7

after pig digging, 15

goat exclosures, 13:21-29

new volcanic surfaces, 10:59-61; 19:18-19; 21:3.4-3.5

recovery of native species, 15; 19:18-19; 21:3.4-3.7

replacement by exotic species, 19:16-17; 21:3.3-3.4

sulfur compounds

SO₂, 14

SO₄, 10:112

sum of squares, 31:59-60, 86-88

classification program in BASIC, 31:86-88

synthesis chapters, 54; 66

technical report series, 54:35

temperature, 54:14-15

 annual mean, 66:15

 daily means and ranges, 22 suppl. 1:15-106; 38:22-69; 59:18-65

 inversion, 54:15

 monthly means and ranges, 22 suppl. 1:7-10; 38:6-9; 59:6-9

thermoregulation in birds, 9; 60

thin fallout area, 10:31-32

 climate diagram, 10:103

 development of cover, 10:90-97

 invasion, 10:68-69

 life-forms, 10:90-97

 mean daily loss of water, 10:99-101

 rainfall, 10:100, 101-104

 relative humidity, 10:97-99

 substrate moisture, 10:107

 surviving species, 10:73-75

 temperature, 10:97-99

transpiration of grass blades and tree leaves, 4:3-4

tree establishment on logs, 44:66-77

tree molds, 10:126, 134

tree snags, 10:54, 63-65, 69; 44:64-66

troglobites, 2:156-157; 16:1-6

 Kazumura Cave, 16:12; 40:5, 7-10

 Mesoveliidae, 40

two-way table, 66:39-49

 associated species groups, 66:40-41

 program, 40

 relevé groups, 66:41-42

 R-technique, 66:40-41

 site groups, see relevé groups

 zonation diagram, 66:45

vegetation mapping methods, 49:4-13, 40-44

(new) volcanic substrates, see also cinder cone, Kilauea Iki, pumice area with surviving trees, pumice area with tree snags, spatter area with tree snags, thin fallout area

 community formation, 10:144-147

 competition, 10:147

(new) volcanic substrates (con't.)

- complementation, 10:146-147
- cover development, 10:76-97
- establishment of life-forms, 10:136-142
- heat gradient, 10:119-121
- invasion, see invasion on new volcanic substrates
- invasion rate, 10:118, 128-136
- microhabitats and invasion rate, 10:131-136
- mineral composition, 10:112-116
- moisture, 10:107, 122-124
- nutrients, 10:109
- pH, 10:109-112
- plant aggregation, 10:144-146
- plant survival, 10:142-144
- recovery of surviving plants, 10:118, 124-128
- temperature, 10:104-107

water budget, 2:8, 200

water loss

- by evaporation from soil, 4:18
- by transpiration, 4:3-8, 14-17, 19-20

zonation diagram

- dendrograph, 66:37-39
- two-way table, 66:45

TAXONOMIC INDEX

Acacia farnesiana, 14:4a-4c, 6-7

Acacia koa

arthropods, 1:93-94; 2:130-132, 253; 5:16, 23; 7:1-2, 6; 64:4-5
Ctenosciara hawaiiensis, 7:1-2, 6
ecological amplitude, 19:5-6
electrophoresis, 21:6.58
flowering, 2:61, 68; 24:15-39, 47
flushing, 23:5; 24:15-39
fungi, 2:101-108; 42
goat exclosures, 2:42-46; 3
growth rates, 2:71-73; 24:39
koa psyllid, see Psylla uncatoides
photosynthesis and energy exchange, 2:254-255
pigs, 2:53-54, 77
rust, 23:6-7, see also Uromyces
silviculture, 2:7-8
transpiration, 2:254-255
Uresiphita polygonalis, 64:4-5

Acacia koa reproduction

goats, 3:2-15
in grassland, 17:3-6
in Kilauea Forest Reserve, 17:9; 44:81-84
in mountain parkland, 3:2, 10-15; 17:3-9
in savanna grassland, 17:3-6, 9
in wet forest, 3:2
light intensity, 17:10-11, 33-36
seedling survival and growth, 17:26, 33-36, 38
seed origin, 17:25-26
sexual, 2:74-77; 17:2, 7-10, 14-38
soil depth, 17:14-18
soil moisture, 17:15-19, 26
soil temperature, 17:10, 19-23, 27-36
vegetative, 2:77; 17:1-6, 11-14, 36-38

Acacia koa var. hawaiiensis

cover, 44:35, 38
density, 44:47-49
EM photograph, 42:33
emergent, 44:81-82
establishment on logs, 44:69, 75
fungi, 42:33, 36-39, 41-44
Kilauea Forest Reserve, 44:23, 43-49, 62-64, 69, 75, 81-84
reproduction, 17
snags, 44:64
stem cover, 44:43-45

Acacia koaia

flushing, 23:5-6

Psylla uncatoides, 23

Acari, see also Cryptostigmata, Mesostigmata, Prostigmata

birds, 37:11, 13

murine rodents, 21:6.37; 58

species list, 2:144-146

Acridotheres tristis tristis, 8:8, 12, 21, 24, 25

parasites, 37:8, 9

Afrolistrophorus musculus, 58:3, 6-7

Agromyzidae, 2:113

Alauda arvensis, 8:8, 24

Alectoris graeca chukar, 8:24

Aleurites moluccana

fauna, 1:93

Mokuleia, Oahu, 34:8, 23, 25

Algae, 21:6.11-6.12; 55:54-56

C-14 labelling, 55:58-60

culture, 55:5-8, 10

invasion on new lava, 10:38-47, 49-54, 55, 65, 67

morphology, 55:19-20, 45

Onychiurus folsomii, 55:11-28, 31, 46-52

sampling, 1:86; 2:96; 55:5

soil algae, 21:6.11-6.12; 55

species list, 44:94; 55:24-25

Allograpta obliqua, 23:7

Alternaria, 42:42-43

Alyxia olivaeformis, 44:49, 53-55

density, 44:48

Anacystis montana, 10:53, 156, 160, 164, 166, 168

Andropogon glomeratus, 13:8, 9

Andropogon virginicus, 4:1-22; 10:135, 157, 161, 165, 167, 169

lowland rain forest landscape, 4:19-20

water loss, 4:3-8, 14-20

Angiosperm, see also plant species lists

invasion on new lava, 10:38, 40-42, 44, 47, 49-57, 62-65, 67

species list, 44:96-98

Antidesma pulvinatum, 34:30

Araucaria excelsa, 34:8

Arthropoda, see also Cerambycidae, Coccinellidae, Dolichopodidae, Drosophila,
Heteroptera
cave fauna, 2:150, 156-157; 16; 21:6.38; 40
ectoparasites, 2:152-153; 21:6.37
endemicity, 54:22-23
entomophagous, 2:146
orders listed, 54:Table 3.4
phytophagous, 21:6.42-6.43; 64
sampling, 1:91-92
soil and duff, 1:104-106; 2:148-151; 21:6.35-6.36
species list, 2:144-146

Ascomycotina, 2:105
occurrence, 42:12, 21
species list, 42:12

Asio flammeus sandwichensis, 8:23, 24

Astelia menziesiana, 10:57, 58, 163; 44:35

Aureobasidium, 42:42-43

Aureobasidium pullulans, 2:105-106; 42:37

Aves, 54:25-27
body temperature, 9:3, 4-5; 60:1, 3
census, 1:107; 8:1-7; 11:1-11
diseases, 8:31-32
distribution, 8:7-32
evaporative water loss, 9:4, 6-7, 12; 60:3, 6
feeding territoriality, 61
insects, 8:33-37
native, 1:109
nectar, 8:37-47; 33
oxygen consumption, 9:3-6, 9; 60:2-6
parasite lists, 37:6, 10, 12; 62:8
parasites, 2:153; 37; 62
pollination, 2:91, 93
song, 8:2-4
species lists, 8:Table 1; 37:2
thermoregulation, 9; 60

Azya Mulsant, 53:3, 9, 16

Basidiomycotina, 42:12-13, 21
species list, 42:12

Bidens pilosa, 13:18, 22

Bobea elatior, 34:23
regeneration, 34:44

Bobea hookeri, 34:30

Botrytis, 42:42-43

Bradysia, 2:115-117

Bradysia impatiens (Johannsen), 25:4-6

Bradysia molokaiensis (Grimshaw), 25:6

Bradysia spatitergum (Hardy), 25:6-7

Bradysia sp. 1, 25:3-4

Bradysia tritici (Coquillett), 25:7-8

Branta sandvicensis, 8:25

Bromus rigidus, 15:12b, 29

Broussaisia arguta, 44:35, 37, 42, 48, 53-55

Brumoides Chapin, 53:3, 8, 17

Bryophyta

invasion on new lava, 10:38-40, 42-46, 49-54, 55, 59, 65, 67
species list, 44:94-95

Bubulcus ibis, 1:108; 8:12

Buddleja asiatica, 10:60, 157, 159, 161, 164, 168

Bulbostylis capillaris, 10:135, 169; 13:8, 9, 13

Buteo solitarius, 1:109; 8:23, 25; 11:Table 1

Caconemobius, 16:10, 12, 14

Campsicnemus (Emperoptera), 20:3-4
key, 20:4-6

Campsicnemus aeptus Hardy and Kohn, 20:2, 3-5

Campsicnemus bryophilus (Adachi), 20:2, 3-5

Campsicnemus haleakalae (Zimmerman), 20:2, 4-6

Campsicnemus mirabilis (Grimshaw), 20:2, 4-5

Campsicnemus n.sp.A, 20:2, 6-7

Campylopus densifolius, 10:60, 156, 158, 160, 164, 166, 168

Campylopus exasperatus, 10:53, 156, 160, 164, 166, 168

Canavalia kauensis, 13:7, 12, 15, 35, 38

Canthium odoratum, 34:15, 18-20, 30, 32, 42, 47-48
20-year comparison, 34:24

Capra hircus L., 13
exclosure, 2:42-49; 3:2-6, 10-15
koa reproduction, 3
native plants, 13:33-37
position paper, 2:203-204

Cardinalis cardinalis (Richmondia cardinalis), 8:10a
Kilauea Forest Reserve, 11:10, Tables 1-4
parasites, 37:8, 9

Carex alligata, 44:35, 41-42

Carex macloviana, 44:35, 42
artificial disturbance, 15:6a, 8, 14a
pig disturbance, 15:10a-13

Carica papaya, 34:17

Carpodacus mexicanus frontalis, 8:8-10a, 21, 24; 11:11
breeding biology, 46
call notes, 47:18-19
clutch, 47:41-42
copulation, 47:38
courtship, 47:25-26
eggs, 47:38-43
fledgling, 47:68-70
feeding, 47:63-67
food, 47:12-14; 51:35
interspecific interactions, 47:10-11, 85
molt, 47:16-17, 87-88
nest, 46:4-10, 14-15, 17-19; 47:17-18, 26-36
nest fauna, 47:72-73
nesting success, 47:73-86
nestling, 47:49-63, 67-68
nest sanitation, 47:67-68
occurrence in Hawaii, 47:4; 51:33
pair formation, 47:22-26
parasites, 37:9
photorefractory period, 47:88-92

Carpodacus mexicanus frontalis (con't.)

plumage, 47:14-16
renesting, 47:70-71
song, 47:18-22, 87
territoriality, 47:37

Cassia leschenaultiana

goat exclosure, 13:12, 15, 21, 23, 29
Kahe power plant, 14:4c, 7
Mokuleia, Oahu, 34:20

Cenchrus echinatus, 13:21

Centaurea melitensis, 13:18, 22

Centaureum umbellatum, 15:23-28, 35

Cerambycidae, 2:122-129; 5; 21:6.23-6.24

altitudinal range, 5:4-11
distribution, 5:14-28
host list, 5:14-28
island lists, 5:29-33
seasonal occurrence, 5:4-13
species list, 5:4-13

Ceratodon purpureus, 10:160, 164

Charpentiera obovata, 34:21, 30

20-year comparison, 34:23

Chasiempis sandwichensis sandwichensis, 1:108; 8:3, 9, 14, 15, 18, 20, 22-22a; 11:9,

Tables 1-4; 51:33
adaptability, 11:18, 20
foraging behavior, 11:14

Cheirodendron trigynum, 11:2; 44:21-27, 42, 45, 50, 51, 59

cover, 44:35, 37, 38
density, 44:48, 50-51
EM photograph, 42:33
establishment on logs, 44:69, 75
fungi, 2:101-108; 42:33, 36-39, 41-44
phenology, 2:62, 70; 24:41
stem cover, 44:43-45

Chilocorus Leach, 53:3, 13, 17-18

Chloris barbata, 14:4c, 6

Chloris virgata, 14:4c, 6

Chrysopa comanche Banks (Chrysopa lanata Banks), 23:8-9

Chrysopogon aciculatus, 13:4, 8, 13, 21-22

Cibotium

reproduction and genecology, 35
silviculture, 2:7-8, 86-87
vegetative resprouting, 10:73

Cibotium chamissoi, 44:21, 50, 55-57

cover, 44:36
density, 44:48

Cibotium glaucum, 10:62, 69-72, 156; 44:21, 42, 50, 53-55

cover, 44:35, 37
density, 44:50
gametophyte growth, 41:2-4, 8-18, 32-35
gametophyte photosynthetic rate, 41:4-6, 18-25, 32-35
genecology, 35:15-23
reproductive biology, 35:15-23
shade adaptation, 41
sporophyte growth, 41:6-7, 25-27, 34-35
sporophyte growth medium, 41:3
sporophyte photosynthetic rates, 41:7, 27-32, 34-35

Cixiidae, 16:10, 14

Cladosporium, 42:42-43

Cladosporium cladosporioides, 2:105-106; 42:37

Clermontia, 8:46-47

Clermontia hawaiiensis, 44:48, 50, 55-57

Coccinella Linnaeus, 53:3, 14, 21

Coccinellidae, 1:93, 102; 21:6.29-6.30; 23; 53

distribution, 53:3-4
key to species, 53
species lists, 23:8a; 53:3-4, 52-54

Cocculus, 1:93

Cocculus ferrandianus, 34:20

Coelophora Mulsant, 53:3, 14, 18-21

Collembola, 2:150, 154
species list, 2:145

Colubrina oppositifolia, 34:24

Commelina diffusa, 10:61, 162

Conyza, 13:10, 13

Conyza canadensis, 10:163, 165, 169; 15:23, 26, 30, 33, 35

Coprosma ernodeoides, 10:73

Coprosma ochracea, 10:157
phenology, 24:43

Coprosma rhynchocarpa, 44:23, 25, 42, 45, 59
cover, 44:36, 38
density, 44:48
phenology, 24:46
stem cover, 44:45

Corynoptera brevipalpis Steffan, 25:8-9

Cryptogonus nigripennis, 53:48

Cryptolaemus Mulsant, 53:3, 11, 22-24

Cryptostigmata, 2:150, 154
species list, 2:145

Ctenosciara hawaiiensis (Hardy), 2:115-117; 25:9-10
ecological studies, 7
food and shelter, 7:6
population and climate, 7:4-6

Curinus Mulsant, 53:3, 13, 24-25

Cyanea, 44:50, 57
density, 44:48-50

Cynodon dactylon, 10:162
artificial disturbance, 15:2, 15b-18
goat exclosure, 13:4, 7, 8, 12, 15, 22, 23, 26

Cyperus brevifolius, 10:162, 167
goat exclosure, 13:8, 9, 13, 22

Cyperus compressus, 13:8, 9

Cyperus polystachyos, 10:61, 162, 167, 169

Cyrema nigellum, 53:46

Cyrtandra lysiosepala, 44:55-57
density, 44:48

Dematiaceae, 42:16-19, 21
species list, 42:16-19

Dermanyssidae, 47:73, 83

- Deschampsia australis, 10:73
artificial disturbance, 15:6-15, 19-21
pig disturbance, 15:1, 11-14, 19-21
- Desmanthus virgatus, 14:4a-7
- Desmodium triflorum, 13:8, 13, 14-15, 16, 21-22
- Desmodium uncinatum, 13:8, 13
- Dicranopteris linearis (Burm.) Underw. (Gleicheniaceae), 35:13-15, 23
- Digitaria pruriens, 13:8, 9, 13, 15, 17, 22, 34
- Dimerogonus, 40:9-10
- Diomus Mulsant, 53:3, 5, 9-11, 25-28
- Diospyros ferrea, 1:93
phenology, 2:62, 70; 24:42
- Diospyros hillebrandii, 34:30
regeneration, 34:44-45
20-year comparison, 34:24
- Diospyros sandwicensis, 34:30, 32, 44
regeneration, 34:44
- Diptera, 1:89-90
- Dodonaea, 2:122, 126
- Dodonaea eriocarpa, 34:30
20-year comparison, 34:28
- Dodonaea sandwicensis, 34:23
- Dodonaea viscosa, 10:73, 75
phenology, 24:44-45
- Dolichopodidae, 20
key, 20:4-6
species list 20:2
- Draceana aurea, 34:21, 32, 33, 44
regeneration, 34:44
20-year comparison, 34:23
- Drepanididae, 21:6.44-6.47
body temperature, 9:3, 4-5
census, 11:4-6
evaporative water loss, 9:4, 6-7, 12

Drepanididae (con't.)

foraging, 8:33-34; 11:6; 33:12-17; 63
heat tolerance, 9:4-5, 7-8, 10-12
Metrosideros collina, 63
oxygen consumption, 9:3-6, 9
thermal conductance, 9:7-10, 12
thermal neutrality, 9:10

Drepanis pacifica, 1:110

Drosophila, 1:18-28; 2:28-30; 21:5.2

adaptation, 52:18-20
adaptive radiation, 1:19-20
biochemical studies, 2:192-199; 45; 50; 52; 57
courtship, 1:20
cytology, 1:22-23
electrophoresis, 30; 45:3; 50; 52; 57
environment and genetic variability, 12:1, 19-20; 45:7, 29-33; 50:58; 52; 65:8-12
environment and reproduction, 39:45-50
genetic variability, 12; 45; 50; 52; 57:11-18; 65:8-12
heterozygosity, 52
hybridization, 1:23
inversion, 2:180; 12
mating behavior, 1:20, 23-24
neutrality, 52:18-20
ovarian development, 39:6-29, 45-47
reproduction, 39
selection, 52:19-20
species list, 2:29-30, 196-199
stock center, 1:24

Drosophila engyochracea, 52:24-25

environment and polymorphism, 52:10-22, 24-25
gene frequencies, 50:36-55
genetic variability, 50:6-8, 36-62; 52
heterozygosity, 52:10-14, 18-22
season and genetic variability, 50:58

Drosophila immigrans, 2:175-180; 21:6.54

adaptation, 12:1-2
environment, 12:1, 19-20; 65:8-12
genetic variability, 12; 57:11, 16-18; 65
inversion, 2:178-180; 12; 65
inversion frequency, 65:6-8
seasonal change, 65:5-8
selection, 12:17, 20-21

Drosophila mimica

environment, 52:7, 15-25
enzyme polymorphism, 52
gene frequencies, 50:13-36
genetic variability, 50:55-62; 52

Drosophila mimica (con't.)

heterozygosity, 52:4-7, 18-24
humidity and reproduction, 39:45-50; 52:24-25
ovarian development, 39:6-29, 45-47
oviposition, 39:29-34
reproduction, 39; 52:24-25
season and genetic variability, 50:58

Drosophila silvestris

allozymic variation, 45:3, 19-31
chromosomal variation, 45:2, 4-17, 31, 33-36
genetic variability, 45
heterozygosity, 45:3, 12-17, 27-29
inversion frequency, 45:4-17, 31, 33-35
mating analysis, 45:11-12
season and genetic variability, 45:7, 29-33

Drosophila simulans, 57

Dubautia, see Raillardia

Elaeocarpus bifidus, 34:30

Emilia javanica, 13:18, 22

Emilia sonchifolia, 13:21

Emperoptera, see Campsicnemus

Encyrtidae, 21:6.29; 23:9-10

Entomobrya nivalis, 21:6.26, 6.36

Ephydridae, 1:89-90; 2:111

Epicoccum, 42:42-43

Epicoccum nigrum, 2:105, 42:37

Epilobium cinereum, 10:61, 162, 165

Epilobium oligodontum

artificial disturbance, 15:6a, 7-8, 10b, 11a
pig disturbance, 12a-13a

Eragrostis tenella, 13:3-4, 7, 9, 12, 14-15

Erechtites valerianaefolia, 10:61, 163, 165, 167

Ereynetidae, 58:9

Erythrina sandwicensis, 34:18, 21-30, 32, 42-43, 47, 48
phenology, 2:62, 70; 24:42-43
20-year comparison, 34:26

Estrilda caerulescens, 37:8, 9, 11

Estrilda melpoda, 37:8, 9, 11

Estrilda troglodytes, 37:11

Eucalyptus, 34:8

Eugenia cumini, 4:2-3; 34:8, 18, 32
20-year comparison, 34:23, 25, 27, 28
water loss from leaves, 4:11-15, 21-22

Eugenia reinwardtiana, 34:23, 24

Eugenia sandwicensis, 34:30

Eupatorium riparium, 10:61, 162, 165, 167

Euphorbia hirta, 13:10, 13

Euphorbia olowaluana, 51:11

Felis catus, 2:170

Festuca megalura, 15:6a, 8, 11

Freycinetia, 8:37
arthropods, 8:2

Fungi Imperfecti, 2:102; 42:36-37
occurrence, 42:13-20, 21
species list, 42:13-20

Fuschia magellanica var. discolor, 10:73

Garrulax canorus, 8:15; 11:10

Geopelia striata, 37:7, 9

Geranium, 2:122

Geranium caroliniaum, 10:61, 163

Gleichenia linearis, see Dicranopteris linearis

Gliocladium, 42:41

Gliocladium roseum, 2:105

Gliomastix, 2:105

Gnaphalium purpureum, 10:162
goat exclosure, 13:10, 13
artificial disturbance, 15:23-28

Gossypium tomentosum (G. sandwicense), 14:4c-5

Gouldia, 44:48, 50, 57

Grevillea robusta, 34:8
20-year comparison, 34:23, 24

Hansfordia, 2:105

Harmonia Mulsant, 21:6.30; 53:3, 13, 28-29

Hedyotis centranthoides, 10:41, 157, 161, 164

Hemignathus obscurus obscurus, 1:109

Hemignathus wilsoni, 1:109; 8:20, 22; 51:31-33
adaptability, 11:18, 20-21
foraging behavior, 11:12-13
Kilauea Forest Reserve, 11:4-6

Herpestes auropunctatus, 2:168-171
lava tubes, 16:11
parasites, 1:104; 58
Toxoplasma, 2:171

Herpestes mungo, 47:82

Heteropogon contortus, 14:4a-4c, 6
goat exclosure, 13:7-9, 16

Heteroptera, 1:96-97
sap and seed feeders, 2:130-132; 21:6.26-6.28
species list, 1:98-101
troglobites, 40:1-13; 43

Himatione sanguinea sanguinea, 1:107-108, 110; 8:1, 5, 8, 9, 13-17, 20, 24, 27-29, 33-37
competition for food, 61:3
foraging behavior, 11:12; 33:12-17; 63:6
Kilauea Forest Reserve, 11:6, Tables 1-4
Metrosideros collina, 2:93; 63
nesting, 11:15-17
territory, 63:6

Hippodamia Dejean, 53:3, 8, 29-30

Hirstionyssus butantanensis (H. latiscutatus), 58:8

Holcus lanatus, 10:61, 161, 165
 artificial disturbance, 15:7-21
 pig disturbance, 15:11-14, 19-21

Horogenes blackburni, 21:6.42; 64:28, 33

Hydrocotyle sibthorpioides, 44:36, 42

Hyparrhenia rufa, 13:6, 8, 9, 16, 21, 23

Hyperaspis Redtenbacher, 53:3, 8, 31-32

Hypericum mutilum, 44:36, 42

Hyperlasion magnisensoria (Hardy), 25:10

Hypoaspis, 2:152; 58:7-8

Hypoaspis nidicorva, 21:6.37; 58:8

Hypoaspis sardoa, 58:8

Hypochoeris radicata (Hypochoeris radicata), 10:61, 163, 165, 167
 artificial disturbance, 15:6a-10b, 15
 phenology, 24:45
 pig disturbance, 15:11a, 12b

Ilex anomala, 44:21-25, 42-45, 50, 51, 59-62
 cover, 44:35, 37, 38
 density, 44:48, 50-51
 establishment on logs, 44:69, 75
 phenology, 24:43
 stem cover, 44:45

Indigofera suffruticosa, 14:4c, 7, 16
 goat exclosure, 13:12, 21, 23, 33

Ipomoea alba, 34:17

Iridomyrmex humilis (Mayr), 23:11

Koanoa Kirkaldy, 2:130

Kuwayama minuta, 2:141, 147; 21:6.31

Laelapidae, 58:7-8

Laelaps (Echinolaelaps) echidnina, 58:7

Laelaps (Laelaps) nuttalli, 58:7

Lantana camara, 34:15-17

Lasiurus cinereus semontus, 16:11

Leiothrix lutea, 1:107-108; 8:9, 18, 21-24; 11:10-11, Tables 1-4
 adaptability, 11:18, 21
 foraging behavior, 11:14
 nesting, 11:17-18

Leptospira, 2:171

Lespesia archippivora, 21:6.42; 64:22-28

Leucaena leucocephala, 14:4a-5; 34:8, 17, 18, 20-21, 32, 43, 46
 goat exclosure, 13:29, 33
 regeneration, 34:46, 50-51
 20-year comparison, 34:24, 25, 27

lichen, 1:32-34
 foliicolous, 1:32-34
 invasion on new lava, 10:38-40, 42, 46, 49-55, 65, 67
 species list, 16:8-11; 44:94
 sulfur dioxide, 16:8-11

Linaria canadensis, 13:10, 13

Lindorus Casey, 53:3, 9, 32-33

Liriomyza, 2:113

Listrophoroidea, 58:3-7

Listrophoroides cucullatus (Listrophoroides expansus), 21:6.37; 58:3-6

Listrophorus musculus, 21:6.37

Lonchura punctulata, 8:9, 21; 11:11
 parasites, 37:5

Lophortyx californicus, 8:24

Loxops coccinea coccinea, 1:109
 foraging behavior, 11:12-13

Loxops maculata mana, 1:109, 2:91, 93; 8:16, 20, 22
 foraging behavior, 11:12-13
 Kilauea Forest Reserve, 11:6, Tables 1-4

Loxops parva, 2:172-173; 9:1-12

Loxops virens stejnegeri, 2:172-173, 9:1-12

Loxops virens virens, 1:107-108; 8:1, 8-10, 12-16, 20, 24, 27-29, 33-37; 51:33-35
 adaptability, 11:18-20
 bioenergetics, 2:172-173; 9:1-12
 competition for food, 61:3
 foraging behavior, 11:12; 33:12-17; 63:6
 Kilauea Forest Reserve, 11:6, Tables 1-4
 mamane phenology, 51:34, 35
 Metrosideros collina, 2:91, 93; 63
 nest fauna, 62:22
 parasites, 62

Ludwigia, 44:36, 42

Lycoriella hoyti, 25:10

Lycoriella mali (Fitch), 25:10-11

Lycoriella solispina (Hardy), 25:11-12

Lycosa howarthi Gerstch, 40:9-10

Lynxacarus radovskyi, 58:7

Machaerina angustifolia, 10:73

Macronyssidae, 58:9

Malvastrum coromandelianum, 14:4c, 6

Mammalia, 2:168-171; 21:6.48
 parasites, 58

Mangifera indica, 4:2-3
 water loss from leaves, 4:11

Megopsis, 5:1; 21:6.24

Melanconiales, 42:14, 21
 species list, 42:14

Meleagris gallopavo, 51:35

Melinis minutiflora, 34:18-20, 48-49
 goat exclosure, 13:6, 8, 13, 21, 23, 26, 29, 33

Meliola koeae, 42:44

Mesostigmata, 2:151, 154; 47:73
 species list, 2:145, 146

Mesovelia, 40:17

Mesovelia amoena Uhler, 40:1-3, 13-16

Mesovelia mulsanti White, 40:1-3, 16

Mesoveliidae, 40

Metrosideros

aerial roots, 10:90, 92
arthropods, 1:93-94, 98-100; 21:6.31
cloned air layers, 1:84; 2:88
distribution, 6:2
electrophoresis, 2:181-190
galling, 21:6.31-6.34
genetics of variation, 2:181-190
growth rates, 2:88-89, 94
nectar, 8:37-43; 61:6; 63:2, 4-6
phenology, 1:78; 27
phenols, 2:181-182
pollination, 1:83-84; 2:89-91; 63:1-5
seed dispersal, 6:4-17
seed tolerance, 6:2-3, 7, 8, 14-15
species, 6:2

Metrosideros collina (Forster) A. Gray subsp. polymorpha (Gaud.) Rock

cover, 44:35, 37, 38
density, 44:48-51
ecological amplitude, 19:5-6
EM photograph, 42:33
establishment on logs, 44:69-77
frost resistance, 2:80-85
fungi, 2:101-110; 42:33, 36-44
genecology, 1:80-85; 21:6.10
germination, 1:80-85
Honeycreepers, 33
Kilauea Forest Reserve, 44:21-27, 42, 45-51, 62-66
Mokuleia, Oahu, 34:32, 33
nectar, 33; 63:2, 4-5, 6
outcrossing, 63:2-3
pollination, 33; 63:1-5
regeneration, 34:43-44
seed set, 63:2-7
selfing, 63:3
snags, 44:64-66
stem cover, 44:43-45

Metrosideros collina subsp. polymorpha var. glaberrima

flowering and fruiting, 27:29, 32, 53, 56-57
leaf and branch growth, 27:11, 15, 21, 25, 27
trunk growth, 27:33-38, 40

Metrosideros collina subsp. polymorpha var. imbricata, 27:19

Metrosideros collina subsp. polymorpha var. incana

arthropods, 1:103; 2:130-137, 141-147
flowering and fruiting, 27:29-32, 55-56
growth, 2:63-64, 67; 27:9-13, 15, 19-20, 22-29
phenology, 2:63-64, 67
trunk growth, 27:38, 41-42

Metrosideros collina subsp. polymorpha var. macrophylla, 27:32, 56

Metrosideros collina subsp. polymorpha var. Newellii, 27:56

Metrosideros collina subsp. polymorpha var. polymorpha (=var. typica)

flowering and fruiting, 27:29-32, 53, 56-57
fungi, 42
growth, 27:9-11, 15, 19, 21, 25, 27-29
leaf and branch growth, 27:9-11, 15, 19, 21, 25, 27-29
trunk growth, 27:33-39

Metrosideros macropus Hooker & Arnott, 27:12, 25, 29

Metrosideros polymorpha

altitudinal ecotypes, 18
invasion on new lava, 10:52, 60, 66, 69-76, 126, 157, 159, 161, 164
leaf and branch growth, 27:9-27
reproductive growth, 27:27-32
snags, 44:64-66
trunk growth, 27:33-50

Metrosideros polymorpha Gaud. subsp. polymorpha var. nuda Skottsb.

growth, 27:26
flowering and fruiting, 27:32

Metrosideros rugosa Gray

flowering and fruiting, 27:29, 32, 57
growth, 27:9-10, 25

Metrosideros tremuloides (Heller) Knuth

flowering and fruiting, 27:57-58
leaf and branch growth, 27:11-12, 25

Mezoneuron kawaiensis, 34:24

Microsorium scolopendria (Burm.) Copel. (Polypodiaceae), 35:10-12, 22-23

Mirabilis jalapa, 34:17

Moho nobilis, 1:109

Moliniaceae

occurrence, 42:14-16
species list, 42:14-16

Moliniales

occurrence, 42:14-16, 21
species list, 42:14-16

Mus musculus, 2:168-171

parasite recovery, 1:104
parasites, 58
Toxoplasma, 2:171

Mycelia Sterilia

occurrence, 42:20, 21
species list, 42:20

Mycosphaerella metrosideri Stevens and Young, 2:104-105; 42:44

Mycota, 1:87-88; 2:98-110; 21:6.13-6.20; 42

communities, 42:33-44
EM scan, 42:34-35
elevation, 42:23, 25-28, 36
endemism, 2:104-105; 42:44
isolation methods, 2:101-102; 42:2-9
litter fungi, 21:6.15-6.16
occurrence, 21:6.14; 42:12-20, 21, 23
ordination, 42:38-39, 43
phyllplane, 2:98-110; 21:6.13-6.15; 42
similarity quotient, 2:103, 106; 42:38-39, 43
soil fungi, 21:6.17-6.20
species lists, 21:6.14; 42:12-20; 44:94

Myobia musculi, 58:3

Myocoptes musculus, 58:3

Myoporum sandwicense, 2:122-124, 126; 51

cover, 44:38
density, 44:48
Kilauea Forest Reserve, 44:42-45, 59-62
Mokuleia, Oahu, 34:30, 47
phenology, 24:44; 51:23-27
reproduction, 51:19-23, 33
stem cover, 44:43-45

Myrsine lessertiana

cover, 44:38
density, 44:48-50
establishment on logs, 44:75-77
Kilauea Forest Reserve, 44:23, 27, 45, 49, 50, 59-62
phenology, 24:43
regeneration, 34:23, 44
stem cover, 44:45

Nabis oscillans, 21:6.26

Nephrolepis exaltata

new lava, 10:48, 52-55, 65, 68, 156, 158, 161, 164, 166
genecology, 35:4-10, 23-24

Nephus Mulsant, 53:3, 12, 34-35

Neraudia angulata, 34:30

Nesidiolestes, 43

Nesiomiris Kirkaldy, 2:130

Neuroptera

Psylla uncatoides, 23:8-9
species list, 23:8b

Nototrachium viride, 34:30

Oceanides pteridicola, 21:6.26

Oceanides vulcan, 21:6.26

Ochrosia sandwicensis, 34:30, 47

Ocimum basilicum, 14:4c-5

Oliarius polyphemus Fennah, 40:9-10; 43:9

Olla Casey, 53:3, 4, 14, 35-36

Onychiurus folsomii, 55

Orcus Mulsant, 53:4, 13, 37-38

Ornithonyssus bacoti, 58:9

Osmanthus sandwicensis, 34:44
20-year comparison, 34:23, 24, 26

Osteomeles anthyllidifolia, 10:73

Oxalis corniculata, 10:163
goat exclosure, 13:10, 13, 18, 22

Panicum maximum, 14:4b, 5

Panicum tenuifolium

artificial disturbance, 15:6a-15, 19
pig disturbance, 15:11-14, 19-21

Parandra, 5:1; 21:6.24

- Paraspeleognathopsis bakeri, 58:9
- Paroaria coronata, 37:7, 8, 9, 11
- Paspalum dilatatum, 10:55, 61, 157, 161, 167
- Passer domesticus, 2:93
parasites, 37:7, 9
- Passiflora foetida, 14:4c, 6
- Pelea, 2:122, 126
- Pelea clusiaefolia, 44:26, 28, 49, 50, 59
cover, 44:36, 38
density, 44:48-50
stem cover, 44:45
- Pelea volcanica, 44:23, 59-62
cover, 44:38
density, 44:48
stem cover, 44:23, 59-62
- Pelea wawreana, 34:23
- Penicillium, 42:43
- Penicillium canescens, 2:105
- Penicillium frequentans, 42:37
- Pennisetum clandestinum, 10:61, 162
- Pestalotia cocculi, 2:105
- Phaeornis obscurus obscurus, 1:107; 2:93
food, 11:2
foraging behavior, 11:14
Kilauea Forest Reserve, 11:6-9, Tables 1-4
nesting, 11:17
- Phasianus, 8:20, 23, 25
- Pheidole (P.) megacephala (F.), 23:10-11
- Phycomycetes, 42:12, 21
species list, 42:12
- Phyllanthus niruri, 13:13
- Phytosciara, 25:12

Pisonia umbellifera, 34:32

Pittosporum sulcatum, 34:23, 30

Plagithmysus, 2:122-129; 5; 21:6.23-6.24; see also Cerambycidae
 evolution, 2:125; 5:1-2
 host list, 2:126-127; 5:14-28
 occurrence, 5:29-33
 species list, 5:4-13

Plagithmysus bilineatus, 21:6.24

Plagithmysus darwinianus Sharp, 2:128

Plagithmysus varians, 1:122, 126; 21:6.24

Plastosciara pernicioso Edwards, 25:12

Pleopeltis thunbergiana, 10:164, 168

Pluvialis dominica, 8:8, 24; 37:9

Polypodium pellucidum, 10:156, 158, 164, 166; 44:36
 genecology, 35:12-13, 23
 reproductive biology, 35:12-13, 23

Portulaca cyanosperma, 13:10, 13

Portulaca oleracea, 13:10, 13

Pouteria sandwicensis
 regeneration, 34:44
 20-year comparison, 34:23

Pristomerus hawaiiensis Perkins, 64:28

Prosopis pallida, 14:3-7

Prostigmata, 2:150, 154
 species list, 2:144, 146

Pseudomorus brunoniana, 34:30

Pseudoscymnus Chapin, 53:4, 12, 38

Psidium cattleianum, 10:168; 34:8, 23, 24, 28, 46

Psidium guajava, 34:8, 23, 24, 28, 46

Psittirostra bailleui, 51:31, 33, 34, 35

Psittirostra psittacea, 1:110; 8:13-15

Psychotria hathewayi, 34:32, 33-42
regeneration, 34:44
20-year comparison, 34:23

Psychotria mariniana, 34:30

Psylla uncatoides, 1:95, 102; 2:138-140; 21:6.29-6.30
Diomus pumilio, 53:27
enemies, 23:7-10; 21:6.29
Harmonia conformis, 53:29; 21:6.30
koa and koaia, 23
koa rust, 23:6-7; 21:6.30
life stage, 23:5a-5b

Psyllidae, see also Kuwayama minuta, Psylla uncatoides, Trioza hawaiiensis, Trioza
n.sp.
koa and koaia, 1:95; 23
Metrosideros, 1:93, 103; 21:6.31-6.34

Pteridium aquilinum, 24:45

Pteridium aquilinum var. decompositum, 15:2, 15b-18

Pteridophyta, see also Cibotium
competition, 21:6.9
culture, 35:4; 41:2-4
genecology, 35
genetic load, 35
invasion on new lava, 10:38-39, 42-48, 49-54, 55, 65, 67
light intensity, 21:6.8
reproductive biology, 35
species list, 44:95-96
temperature, 21:6.8

Pullus Mulsant, 53:4, 12-13, 43-45

Radfordia affinis, 58:3

Radfordia ensifera, 58:3

Raillardia arborea, 51:11

Raillardia ciliolata, 10:73, 75, 161, 165

Raillardia scabra, 10:41, 52, 60, 66, 73, 157, 159, 161, 165

Rattus, 47:80

Rattus exulans, 2:168
parasites, 1:104; 58

Rattus norvegicus, 2:168-171
parasites, 1:104; 58

Rattus rattus, 2:168-171
lava tubes, 16:11
Leptospira, 2:171
parasites, 1:104; 2:152; 58
predation, 2:164-165
Toxoplasma, 2:171
trapping method, 1:111

Rauwolfia sandwicensis, 34:23, 30

Reynoldsia sandwicensis, 34:17, 30, 47
20-year comparison, 34:23, 25, 26

Rhacomitrium lanuginosum var. pruinsum, 10:52, 53, 65-66, 68, 156, 158, 160, 164, 166

Rhizobius Stephens, 53:4, 9, 38-39

Rhynchelytrum repens, 10:135, 169; 14:4c, 6-7; 34:18
goat enclosure, 13:6-9, 16, 21, 23, 26

Rodolia Mulsant, 53:4, 12, 40

Rosa, 10:73

Rubus hawaiiensis, 44:42, 49, 51, 53-55
cover, 44:35, 37
density, 44:48-51

Rubus penetrans, 10:60, 161, 164, 167

Rubus rosaefolius, 10:60, 161, 164, 167
cover, 44:36
density, 44:48
Kilauea Forest Reserve, 44:57

Rumex acetosella
artificial disturbance, 15:8, 17-18
pig, 15:12a, 12b

Rumex giganteus, 10:74, 75, 165

Sadleria cyatheoides, 10:69, 75, 156, 158, 164

Sadleria pallida
genecology, 35:24
reproductive biology, 35:24

Sadleria squarrosa, 35:24

Santalum ellipticum, 24:44

Santalum freycinetianum, 34:23

Santalum pilgeri, 51:11

Sapindus oahuensis, 34:8, 17, 20-21, 30, 32, 43, 44-45
regeneration, 34:44-45, 51

Sapindus saponaria
cerambycid-beetles, 2:128-129
phenology, 2:62, 70; 24:41-42

Sarona adonias, 21:6.26

Scaptosciara nigrita Hardy, 25:13

Schinus terebinthifolius, 34:8, 18, 20, 46-50
regeneration, 34:46
20-year comparison, 34:23-28

Sciara hoyti, 2:115-120

Sciaridae, 2:115-121; 25; see also Ctenosciara hawaiiensis (Hardy)
sampling, 1:91-92
species lists, 2:118-119; 25:3a

Scymnodes Blackburn, 53:4, 11, 41

Scymnus Kugelann, 53:4, 11-13, 42-45

Scymnus vagans, 53:47

Scytonema myochrous, 10:52, 53, 66, 156, 158, 160, 164, 166, 168

Serangium Blackburn, 53:4, 5, 46

Setaria geniculata, 10:55, 61, 157, 162; 34:20

Setaria verticillata, 14:4c, 6

Sida cordifolia, 14:5-6

Sida fallax, 14:5-6; 34:20

Sida spinosa, 34:20

Sisyrinchium acre, 15:23-27, 34

Sisyrinchium micranthum, 13:10, 13

Sonchus oleraceus, 10:61, 163, 165

artificial disturbance, 15:23-28, 38, 40

Sophora chrysophylla, 51, 64:2

flowering, 2:61, 69

nectar, 8:37, 41-43; 63:8

phenology, 2:61, 69; 24:39-41, 47; 51:23-27

reproduction, 51:19-23, 33

Uresiphita polygonalis, 2:158-161; 64

Sphaeropsidales, 2:105

occurrence, 42:13-14, 21

species list, 42:13-14

Spathobdella setigera, 2:115-119

Spathoglottis plicata, 10:72

Speleorodeus derricki, 58:9

Speovelia, 16:14; 40:1-13

Speovelia maritima, 40:1, 7

Sporobolus africanus, 10:55, 61, 162

goat exclosure, 13:7-9, 15, 16

Stachytarpheta jamaicensis, 34:20

Stereocaulon volcani, 10:46, 52-55, 66, 156, 158, 161, 164, 166, 168

Sterna fuscata, 60

Stethorus Weise, 53:4, 11, 46-47

Sticholotis Crotch, 53:4, 5, 47-48

Stigonema panniforme, 10:53, 156, 160, 164, 166, 168

Streptopelia chinensis, 8:10, 20

parasites, 37:7, 9

Styphelia, 1:94

Styphelia douglasii, 15:23, 26

Styphelia tameiameia, 10:73-75, 159; 44:50, 57

density, 44:48-50

phenology, 24:46

Sus scrofa

Kilauea Forest Reserve, 44:83-85
effect on grassland, 15:11-14, 19-21
exclosure, 2:42
scarification, 2:53-54, 77

Telmatogeton, 1:89; 2:111-114; 56

cell division, 56:5-7
chromosome banding, 56:12
fixation, 56:2
inversion polymorphism, 56:16
non-polytene chromosomes, 56:5-9
phylogenetic scheme, 56:19-23
polytene chromosomes, 56:9-16
sex chromosomes, 56:16-18

Telmatogeton abnormis, 56:9-23

Telmatogeton fluviatilis, 56:7-16, 19-23

Telmatogeton hirtus, 56:7-23

Telmatogeton pacificus, 56:9, 19-23

Telmatogeton torrenticola - E. Maui, 56:2, 7, 12-16, 19-23

Telmatogeton torrenticola - Hawaii, 56:2, 9, 12-23

Telmatogeton torrenticola - Molokai, 56:2, 9, 12, 19-23

Telmatogeton torrenticola - W. Maui, 56:2, 5-7, 11-16, 19-23

Telsimia Casey, 53:4, 11, 48-49

Tetraplasandra kaalae, 34:23

Thaumtogryllus, 16:14

Toxoplasma gondii, 2:171, 238

Trichachne insularis, 14:4c, 6-7

Trichogramma, 2:160; 64:28, 33

Trioza hawaiiensis, 2:141, 147; 21:6.31

Trioza n.spp., 2:141, 147; 21:6.31

Tuberculariaceae, 42:19-20, 21

Uraeginthus angolensis, 37:8, 9, 11

Uraeginthus bengalus, 37:9

Uresiphita polygonalis

- biology, 2:158-161
- climatic factors, 64:5, 17-18
- life-cycle, 21:6.42-6.43; 64:7-9
- oviposition, 64:4, 7
- parasites, 2:160; 64:22-33
- predators, 64:32
- seasonal abundance, 64:6, 9-22, 32-33
- synonyms, 64:1
- virus, 2:161; 64:5-7, 29-33

Uromyces, 21:6.30; 23:6-7

Vaccinium, 2:122, 126

Vaccinium calycinum, 10:73, 161; 44:51, 57

- cover, 44:35, 37
- density, 44:48

Vaccinium reticulatum, 10:60, 73-75, 157, 159, 161

Vernonia cinerea, 13:10, 13, 18, 22

Vestiaria coccinea, 1:110; 8:1, 5, 13-16, 20, 24, 25, 33-37

- foraging behavior, 11:12; 33:12-17; 61:2-6; 63:7
- feeding territoriality, 61; 63:7
- Kilauea Forest Reserve, 11:6, Tables 1-4
- Metrosideros collina, 63

virus, nuclear polyhedrosis, 64:5-7, 29-33

Waltheria americana, 14:4c, 6

Waltheria indica, 13:7, 12, 16

Wikstroemia oahuensis, 34:30

- 20-year comparison, 34:24

Wikstroemia sandwicensis, 10:73, 75

Xyleborus, 21:6.24

Xylosma hawaiiensis, 34:21

Zosterops japonica

- adaptability, 11:18, 21; 29:1-3, 72-73, 88-89
- behavior, 29:74-81
- courtship, 29:27-28
- development and growth, 29:46, 57-65

Zosterops japonica (con't.)

distribution, 1:107-108; 8:8-10a, 12, 15, 18, 22-24
egg, 29:41-46
feeding, 29:53-55
food, 29:84-87
nest, 29:7-8, 28-38, 63
nest attendance, 29:48-50
parasites, 37:8, 11
seasonal cycle, 29:11-13
size, 29:82
song, 29:16-20, 38
territory, 29:6-7, 18, 21-26
urban Oahu, 29

SITE INDEX

Ainahou Ranch, 2:Fig. 4; 8:9-10a

Akaka Falls, 56

Alae Crater, 2:24, Fig. 4

Alahaka Tube, 43:7

Ala Moana Park, 56

Berry Flat Trail (Kokee), 12:4, 8-13

Bird Park, see Kipuka Puauulu

Chain of Craters Road, 1:93

Emesine Lava Tube, 43:7-9

Glenwood, 48:5, 12

Halawa Stream (Molokai), 56

Halemanu (Kokee), 12:4, 8-13

Hawaii Volcanoes National Park, 2:90-95; 12:3-13; 17:3-27; see also Park transects

Hanakapiai Stream, 56

Highway 11, 2:67; 27:4, 6, 43

Hilina Pali

- cover-abundance, 48:17, 18
- ecosystem types, 2:23, Fig. 3
- koa suckering, 17:3-6, 11-14
- Metrosideros, 1:78, 93
- substrate, 48:7
- vegetation, 48:7, 17-18

Hilo Bay, 56

Holei Pali, 1:78

Hoolawa Stream, 56

Hualalai, 46

Iao Stream, 56

Kaaiea Stream, 56

Kahakuloa Stream, 56

Kahe Point, 14

Kalapana

phenology, 2:65, 67; 24:5, 22, 33, 42-43; 27:3, 43-44
rain, 24:53

Kaluanui Stream, 56

Kau Desert, 2:23, Fig. 3

Kazumura Cave, 16:12; 40:5, 7-10

Kealakomo, 2:25, Fig. 5

Keauhou Ranch, 33; 61; 63

Kilauea

geology, 10:18-20
habitat types, 10:25-32

Kilauea Forest Reserve

Acari on murine rodents, 58
birds, 1:107-110; 11
cerambycids, 1:93-94
climate, 2:200; 22:3, 7, 11, 15-40, 109, 113, 117-121, 137-138; 24:51; 38:2, 6,
10, 14, 18, 22-33, 70, 78, 82-83, 94-95; 44:6-8
cover, 44:29-45
Ctenosciara hawaiiensis, 7:1-6
density, 44:45-53
Drosophila immigrans, 12:3-9, 13
Drosophila silvestris, 45
ecosystem types, 2:24, Fig. 3
fauna, 44:8-10
fungi, 2:101-108; 42
koa reproduction, 17:9, 14-27; 44:81-84
log-established trees, 44:66-77
phenology, 24:5, 24, 35, 38-41, 44
plant ecological survey, 1:56-77
plant species groups, 31:65-69, 75, 80
profile diagrams, 44:13, 21-29
sampling, 44:11-20
Sciaridae, 1:91-92; 2:115-121
shade tolerance, 44:80-81
soil, 44:6
spatial distribution, 31
species and cover, 44:35-39
structural analysis, 44:21-66
tree population and structure, 2:50-54; 44
vegetation, 44:8-10

Kilauea Iki, 10:25-29

- climate, 10:22-33, 103
- community formation, 10:41-42
- cover development, 10:76
- densification of plant life, 10:43-48
- invasion, 10:37-40
- life-forms, 10:37-40
- plant nutrients, 10:109
- rainfall, 10:100, 101-104
- relative humidity, 10:97-99
- substrate pH, 10:109-112
- substrate temperature, 10:104-107
- temperature, 10:97-99
- water loss, 10:99-101

Kilauea Military Camp

- cover-abundance, 48:11
- phenology, 24:5, 25, 36, 44
- substrate, 48:4
- vegetation, 48:4, 11

Kipuka Keane Bihopa, 8:7-8

Kipuka Ki

- cerambycid-beetles, 2:122-129
- climate, 22; 38; 39:34-43; 59
- cover-abundance, 48:9-10
- Drosophila engyochracea, 50; 52
- Drosophila mimica, 39; 50; 52
- Drosophila simulans, 57:2-9
- evaporation potential, 39:43
- koa, 17:9, 14-27
- vegetation, 48:4, 9-10

Kipuka Kulalio, 1:95; 8:21-23

Kipuka Nene

- birds, 8:8-9
- cover-abundance, 48:11-12
- phenology, 24:5, 18, 29, 40
- substrate, 48:5
- vegetation, 48:5, 11-12

Kipuka Puauulu

- birds, 8:19-20
- cerambycid-beetles, 2:122-127
- climate, 39:34-43
- cover-abundance, 48:14-15
- Drosophila engyochracea, 50; 52
- Drosophila immigrans, 57:2, 11; 65
- Drosophila mimica, 39; 50; 52

Kipuka Puauulu (con't.)

Drosophila simulans, 57:2-9
ecosystem types, 2:23-24, Fig. 2, Fig. 3
evaporation potential, 39:43
koa growth and reproduction, 2:72-79
phenology, 24:5, 31, 38-39, 41-42
rainfall pH, 39:43
soil temperature, 39:35-42
substrate, 48:6
vegetation, 48:6, 14-15

Kohala Mountain, 46

Kukalauula Pali, 2:47-49; 13

Kulani, 46

Kurtistown Cave, 40:5-7

Makaleha Stream, 56

Makamakaole Stream, 56

Manana Island, 60

Manoa

fungi, 42
Linnet breeding biology, 47

Mauna Kapu, 2:176-180; 12:3, 9, 15

Mauna Kea

Amakihi, 62
birds, 51:31-35
Horogenes blackburni, 21:6.43; 64:28, 33
Lespesia archippivora, 21:6.42; 64:22-28
Linnet breeding biology, 46
Myoporum sandwicense, 51
nuclear polyhedrosis virus, 64:6-7, 29-33
Sophora chrysophylla, 51; 64
Uresiphita polygonalis, 21:6.42-6.43; 64

Mauna Kea Transect

arthropods, 1:96-101, 104-106; 2:130-137
ecosystem types, 2:26, Fig. 7
Meteorology, 1:36-38
phytophagous insects, 2:130-137, 158-161
Uresiphita polygonalis, 2:158-161
vertebrate parasites, 1:104-106

Mauna Loa, see also Mauna Loa Transect
cover-abundance, 48:8, 13-14

Mauna Loa, see also Mauna Loa Transect (con't.)
feral pig, 15:11-14, 19-21
koa germination, 17:7-9, 14-27, 36
koa suckering, 17:3-5, 11-14
Linnet breeding biology, 46
Metrosideros collina-Honeycreeper association, 63
Onychiurus folsomii and algae, 55
substrate, 48:4-6
vegetation, 48:4-6, 8, 13-14

Mauna Loa Crater Trail, 57:2-9

Mauna Loa Summit Trail, 1:78; 2:67
vegetation, 2:67; 48:4, 8

Mauna Loa Transect, see also Kipuka Ki, Kipuka Puaulu

Acari on rodents, 58
algae, 2:96-97
arthropods, 1:98-106, 115-121, 130-140, 158-161
birds, 1:107; 8
cerambycid-beetles, 2:122-129
climate, 1:36-38; 22; 38; 59; 66:15-16
cover-abundance, 48:8-18
Ctenosciara hawaiiensis, 7
Drosophila immigrans, 2:174-180; 12; 57; 65
Drosophila simulans, 57
ecosystem types, 2:23-26, Fig. 2
fungi, 2:101-109; 42
gradient analysis, 2:31-41, 220-234; 66:1-28
herbivores, 2:42
Heteroptera, 1:97-101
Horogenes blackburni, 21:6.42; 64:28, 33
Kilauea Military Camp, 2:65
Kipuka Kulalio, 1:95; 8:21-23
koa psyllid, 1:102; 2:138-140
koa and goats, 3
Lespesia archippivora, 21:6.42; 64:22-28
mammals, 2:168-171
Mauna Loa Crater Trail, 57:2-9
Mauna Loa Strip Road, 2:124, 128; 57
Mauna Loa Summit Trail, 1:78; 2:67
mechanical influences, 66:20-21
Metrosideros, 1:78, 103; 2:67, 90-95, 141-147
parasites of vertebrates, 1:104-106
phenology, 2:65-66; 24; 27
phytophagous insects, 2:130-137, 158-161; 64
Pristomerus hawaiiensis, 64:28
Puu Ulaula, 2:215; 48:6
Sciaridae, 2:115-121; 7
segments, 2:23-26; 21:2.5; 48; 66:4
segment 3, 8:25-30; 48:6, 14
segment 4, 8:25-30; 48:5-6, 13-14; 58

Mauna Loa Transect, see also Kipuka Ki, Kipuka Puauulu (con't.)

segment 5, 42; 48:4, 5, 8, 13; 58
segment 6, 8:23-25; 42; 48:4, 8; 58
segment 7, 8:21-23; 42; 48:4, 9; 58
segment 8, 42; 48:4, 9-10
segment 9, 2:65-66, 72; 8:19-20; 48:6, 14-15
segment 10, 48:4, 11; 58
segment 11, 48:6, 16; 58
segment 12, 8:15-18; 48:5, 11; 58
soil-substrate, 48:4-7; 66:16-18
Tree Molds, 57:2-9
Trichogramma sp., 64:28, 33
Twin Craters, 8:15-18
Uresiphita polygonalis, 2:158-161; 64
vegetation stratification, 48:4, 8-18

Mokuleia, 34

Napau Crater, 2:25, Fig. 5; 8:12-15

Naulu Forest, 1:78, 93; 8:11-12

Olaa Forest Reserve

cover-abundance, 48:13
Drosophila, 45:17-19
ecosystem types, 2:24, Fig. 4
substrate, 48:5
vegetation, 48:5, 13

Palolo, 27:2, 21, 29, 33-38

Park transect 1, see Mauna Loa Transect

Park transect 2, see also Hilina Pali, Kilauea Forest Reserve, and Kipuka Puauulu
algae, 2:96-97

Ctenosciara hawaiiensis, 7
Drosophila, 2:28-30, 174-180
ecosystem types, 2:23-24, Fig. 3
fungi, 2:98-110; 42
goats, 2:47-49
Kau Desert, 2:23, Fig. 3
koa, 2:72-79
Kukalauula, 2:47-49; 13
mammals, 7:168-171
Metrosideros, 2:67, 90-95
profile diagram, 2:Fig. 3
Sciaridae, 1:91-92; 2:115-121; 7
segments 4 and 5, 8:7-8; 42; 48:7, 17-18
segment 11, 42
vertebrate parasites, 2:152-153

Park transect 3, see also Olaa Forest Reserve
Ainahou Ranch, 2:Fig. 4; 8:9-10a

Alae Crater, 2:24; Fig. 4

Drosophila, 2:28-30, 174-180

ecosystem types, 2:24, Fig. 4

fungi, 42

mammals, 2:168-171

profile diagram, 2:Fig. 4

segment 5, 42

Park transect 4

birds, 8:11-15

cerambycid-beetles, 2:122-129

ecosystem types, 2:25, Fig. 5

Kealakomo, 2:Fig. 5, 25

mammals, 2:168-171

Napau Crater, 2:25, Fig. 5; 8:12-15

Naulu Forest, 1:78, 93; 8:11-12

profile diagram, 2:Fig. 5

segment 4, 2:25; 8:11-12

segment 7, 2:25; 8:12-15

Park transect 5

algae, 2:96-97

ecosystem types, 2:25, Fig. 6

Metrosideros, 2:67

phenology, 2:65

profile diagram, 2:Fig. 6

Poamoho Trail, 57:2, 4-8

Pohakuloa, 2:158-161

Puu Kaone, 13

Puu Keaau, 2:176-180; 12:3, 9, 15

Puu Laau

Linnet breeding biology, 46

parasites of Hawaii Amakihi, 62

Puu Lehua, 46

Puu Oo, 33; 46

Puu Puai, 10:29

development of cover, 10:76

invasion, 10:49-54

plant nutrients, 10:109

substrate moisture, 10:107

substrate pH, 10:109-112

substrate temperature, 10:104-107

Puu Ulaula

cover-abundance, 48:14
ecosystem gradient, 2:215
substrate, 48:6
vegetation, 48:6, 14

Puu Waawaa, 46

Saddle Road, 2:158-161

Sulfur Bank, 57:2, 11

Tantalus, 2:176-180; 12:3, 9, 15

Thurston Lava Tube

cover-abundance, 48:11
phenology, 2:67; 24:5, 23-24, 34-35, 43; 27:4, 6, 42
substrate, 48:5
vegetation, 48:5, 11

Tree Molds, 27:3, 6, 41; 57:2

Twin Craters, 8:15-18

Waikane, 4

Wailua River, 56

Waipoo Falls, 56

TABLE 6.2. General site comparisons. The numbers for each investigator refer to his site sampling scheme. Sampling sites falling on the transect are aggregated at the nearest IBP focal sites. Specific qualifications are given in the chapters discussing each investigator's results. (Reproduced from Mueller-Dombois and Bridges TR 66.)

IBP FOCAL SITE	SITE NAME	ELEVATION FEET (M)	INVESTIGATORS AND ORGANISM GROUPS															
			BAKER, leaf and litter fungi	BEARDSLEY, sap-sucking insects	CONANT, birds	DOTY, soil algae	GAGNÉ, canopy insects	HARDY, litter insects	LAMOUREUX, tree phenology	MITCHELL, blossom-feeding insects	MUELLER-DOMBOIS, SPATZ vascular plants	NISHIDA, tree insects	PAIK, Drosophila	RADOVSKY, soil arthropods, ectoparasites	SAMUELSON, wood and bark beetles	STEFFAN, Sciaridae	STONER, soil fungi	TOMICH, rodents
1	THURSTON	3920(1190)			1	18	1	3	7		1	2		18	✓	1	2	6
2	SULPHUR BANK	4000(1220)					2	4	6		2	3	1		✓		3	5,16
3	TREE MOLDS	4000(1220)		3	3	11,12	3	5	5	3	3		2	10,11,12	✓	3	4	
4	KIPUKA KI	4200(1280)	4		4	8,9,16	4	6,7			4		3	8,9,16	✓	4	5,6	4,15
5	POWERLINE	4920(1500)			5	20		8			5			20	✓	5	7,8	3
6	CLIMATE STA	5250(1600)	3			6	6	9	3		6		4	6,7	✓	6	9	
7	KEAMOKU	5650(1720)		7	7	25				7	7		5		✓	7	10	
8	GOAT EXCL	6200(1890)						10	2		8		6	5	✓	8	11	2
9	END STRIP RD	6650(2030)		9	9	4	9	11	1	9	9		7	4	✓	9	12	
10	7000'	7000(2130)	2	10		3	10	12		10	10	4	8	3	✓	10	13	1
11	7500'	7500(2290)				29		13			11		9	2	✓	11	14	
12	8000'	8000(2440)	1	12	12	1	12	14,15		12	12		10	1	✓	12	15	10,13
13	9000'	9000(2740)				31		16,17			13				✓		16	11,12
14	10000'	10000(3050)				33		18			14				✓		17	14

- No. 41 Shade adaptation of the Hawaiian tree-fern (Cibotium glaucum (Sm.) H. & A.). D. J. C. Friend. June 1974. 39 p.
- No. 42 The roles of fungi in Hawaiian Island ecosystems. I. Fungal communities associated with leaf surfaces of three endemic vascular plants in Kilauea Forest Reserve and Hawaii Volcanoes National Park, Hawaii. Gladys E. Baker, Paul H. Dunn and William A. Sakai. July 1974. 46 p.
- No. 43 The cavernicolous fauna of Hawaiian lava tubes, Part VII. Emesinae or thread-legged bugs (Heteroptera: Reduviidae). Wayne C. Gagné and Francis G. Howarth. July 1974. 18 p.
- No. 44 Stand structure of a montane rain forest on Mauna Loa, Hawaii. Ranjit G. Cooray. August 1974. 98 p.
- No. 45 Genetic variability in the Kilauea Forest population of Drosophila silvestris. E. M. Craddock and W. E. Johnson. September 1974. 39 p.
- No. 46 Linnet breeding biology on Hawaii. Charles van Riper III. October 1974. 19 p.
- No. 47 The nesting biology of the House Finch, Carpodacus mexicanus frontalis (Say), in Honolulu, Hawaii. Lawrence T. Hirai. November 1974. 105 p.
- No. 48 A vegetational description of the IBP small mammal trapline transects - Mauna Loa Transect. James D. Jacobi. November 1974. 19 p.
- No. 49 Vegetation types: a consideration of available methods and their suitability for various purposes. Dieter Mueller-Dombois and Heinz Ellenberg. November 1974. 47 p.
- No. 50 Genetic structure and variability in two species of endemic Hawaiian Drosophila. William W. M. Steiner and Hampton L. Carson. December 1974. 66 p.
- No. 51 Composition and phenology of the dry forest of Mauna Kea, Hawaii, as related to the annual cycle of the Amakihi (Loxops virens) and Palila (Psittirostra bailleui). Charles van Riper III. January 1975. 37 p.
- No. 52 Environment-enzyme polymorphism relationships in two Hawaiian Drosophila species. W. W. M. Steiner. January 1975. 28 p.
- No. 53 A review of the Hawaiian Coccinellidae. John R. Leeper. February 1975. 54 p.
- No. 54 Integrated island ecosystem ecology in Hawaii - Introductory Survey. Part I of proposed synthesis volume for US/IBP series. Dieter Mueller-Dombois. February 1975. 46 p.
- No. 55 Soil algal relationships to Onychiurus folsomi, a minute arthropod. Linda-Lee McGurk. March 1975. 66 p.
- No. 56 Cytogenetics of the Hawaiian Telmatogeton (Diptera). Lester J. Newman. March 1975. 23 p.
- No. 57 Electrophoretic variability in island populations of Drosophila simulans and Drosophila immigrans. William W. M. Steiner, Ki Chang Sung and Y. K. Paik. March 1975. 20 p.
- No. 58 Acari on murine rodents along an altitudinal transect on Mauna Loa, Hawaii. Frank J. Radovsky, JoAnn M. Tenorio, P. Quentin Tomich, and James D. Jacobi. April 1975. 11 p.
- No. 59 Climate data for the IBP sites on Mauna Loa, Hawaii. Kent W. Bridges and G. Virginia Carey. April 1975. 90 p.

- No. 60 Oxygen consumption, evaporative water loss and body temperature in the Sooty Tern, Sterna fuscata. Richard E. MacMillen, G. Causey Whittow, Ernest A. Christopher and Roy J. Ebisu. April 1975. 15 p.
- No. 61 Threshold model of feeding territoriality: a test with an Hawaiian honeycreeper. F. L. Carpenter and R. E. MacMillen. April 1975. 11 p.
- No. 62 Parasites of the Hawaii Amakihi (Loxops virens virens). Charles van Riper III. April 1975. 25 p.
- No. 63 Pollination energetics and foraging strategies in a Metrosideros-honeycreeper association. F. Lynn Carpenter and Richard E. MacMillen. May 1975. 8 p.
- No. 64 Seasonal abundances of the mamane moth, its nuclear polyhedrosis virus, and its parasites. Michael Conant. May 1975. 34 p.
- No. 65 Temporal pattern of gene arrangement frequency in altitudinal populations of Drosophila immigrans on Mauna Loa, Hawaii. Y. K. Paik and K. C. Sung. May 1975. 14 p.
- No. 66 Integrated island ecosystem ecology in Hawaii. Spatial distribution of island biota, Introduction. Part II, Chapter 6 of proposed synthesis volume for US/IBP series. Dieter Mueller-Dombois and Kent W. Bridges. June 1975. 52 p.
- No. 67 User oriented statistical analysis programs: a brief guide. Kent W. Bridges. July 1975. 37 p.
- No. 68 Systematic patterns of foraging for nectar by Amakihi (Loxops virens). Alan C. Kamil. July 1975. 17 p.
- No. 69 The Island Ecosystems Data Bank. Kent W. Bridges and G. Virginia Carey. August 1975. 15 p.
- No. 70 Climate data for the IBP sites on Mauna Loa, Hawaii. Kent W. Bridges and G. Virginia Carey. August 1975. 55 p.
- No. 71 Evolution of the endemic Hawaiian cerambycid-beetles. J. L. Gressitt. August 1975. 46 p.
- No. 72 Index to Technical Reports 1-66. Winifred Y. Yamashiro. August 1975. 50 p.